	Application No.	Applicant(s)
Notice of Allowability		
	10/756,606 Examiner	KURAHASHI ET AL. Art Unit
	Lucy P. Chien	2871
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>application filed on 1/14/2004</u> .		
2. The allowed claim(s) is/are <u>6-13</u> .		
3. ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗀 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	. .	Andread American Company
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	(⊏ 1∪⊶13), te
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 08), 7. ⊠ Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 4. Separation of Biological Material	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
J. Diological material	9. 🗌 Other	

Application/Control Number: 10/756,606

Art Unit: 2871

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

<u>The Title should be amended to:</u> Liquid crystal display device with the source electrode having a projecting portion.

Claims 1-4 and 14-20 have been cancelled approved by Melvin Kraus on Feb. 28th.

The following statements indicate reason for allowability:

Claims 6-13 are allowed.

Regarding Claim 6, Nishida et al discloses a source electrode (Fig. 40 (130b)).

Nishida does not disclose the source electrode having a projecting portion that superposes on the overhanging portion of the pixel electrode and is formed in a direction that faces the overhanging portion in an opposed manner.

<u>Claims 7,8</u> depend on Claim 6, therefore are allowed.

Regarding Claim 9, Nishida et al does not disclose the common electrode extending in the inside of the unit pixel while covering the commons sign line except for a portion along the overhanging portion of the pixel electrode.

Regarding Claim 10,

The prior art does not disclose nor does not reasonably suggest the enlarged portion which bridges over the common signal line from the inside of the unit pixel and

Art Unit: 2871

the common electrode is formed such that it extends into the inside of the unit pixel while covering the common signal line except for portions along the enlarged portions of the pixel electrode.

<u>Claims 11-13</u> are dependents of Claim 10 so are therefore allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lucy P. Chien whose telephone number is 571-272-8579. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571)272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/756,606

Art Unit: 2871

Examiner Art Unit 2871

Page 4

Andrew Schechter PRIMARY EXAMINER